

AMENDMENT

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-26. (Canceled)

27. (Previously Presented) A method for provisioning communication services, the method comprising:

defining a state machine associated with a communication services provisioning model, the state machine comprising a set of current states of the provisioning model;

defining at least one transition within the provisioning model that defines conditions under which states are added to or removed from the set of current states of the provisioning model;

generating a signal that identifies when a transition occurs that either adds states to the state machine or removes states from the state machine; and

modifying arguments of the signal, by the at least one transition.

28. (Cancelled)

29. (Previously Presented) The method of claim 27, wherein the signal is generated by an external API of a provisioning engine.

30. (Previously Presented) The method of claim 27, wherein the signal is generated by one of the at least one transition.

31. (Previously Presented) The method of claim 27, wherein generating a signal that identifies when a transition occurs that either adds states to the state machine or removes states from the state machine further comprises:

generating a signal API call; and

delivering the signal at a predetermined time after generating the corresponding signal API call.

32. (Previously Presented) The method of claim 27, wherein the at least one transition comprises at least one of a signal type, a set of from states or a set of to states.

33. (Previously Presented) The method of claim 32, wherein the at least one transition performs at least one of adding the to states of the set of current states or removing the from states from the set of current states when a signal matching the signal type is received.

34. (Previously Presented) The method of claim 33, wherein the signal matching the signal type is received by an executing instance of the provisioning model and the from states are a subset of the set of current states.

35. (Previously Presented) The method of claim 27, wherein the provisioning model comprises a plurality of executing instances each storing data specific to a respective one of the instances.

36. (Previously Presented) The method of claim 35, wherein the provisioning model further comprises stored data to be used by each of the instances.

37. (Previously Presented) The method of claim 32, wherein the at least one transition further comprises at least one task that is executed when a signal matching the signal type is received.

38. (Previously Presented) The method of claim 32, wherein the from states are a subset of the set of current states.

39. (Previously Presented) The method of claim 37, wherein the at least one transition further comprises transition arguments that are communicated to the at least one task.

40. (Previously Presented) The method of claim 35, wherein at least one of the executing instances further comprises calls to another model as a sub-instance.

41. (Previously Presented) The method of claim 40, wherein the sub-instance further comprises means for communicating with the at least one instance.

42. (Previously Presented) The method of claim 40, wherein transitions of the at least one instance are configured to stop executing while the sub-instance executes and continues executing when the sub-instance is done executing.

43. (Currently Amended) A system for provisioning communication services, the system comprising:

means for defining a state machine associated with a communication services provisioning model, the state machine comprising a set of current states of the provisioning model; [[and]]

means for defining at least one transition within the provisioning model that defines conditions under which states are added to or removed from the set of current states of the provisioning model; and

means for generating a signal that identifies when a transition occurs that either adds states to the state machine or removes states from the state machine~~[[; and]]~~, wherein the at least one transition modifies arguments of a generated signal.

44. (Previously Presented) The system of claim 43, wherein the at least one transition comprises at least one of a signal type, a set of from states or a set of to states.

45. (Previously Presented) The system of claim 44, wherein the at least one transition performs at least one of adding the to states to the set of current states or removing the from states from the set of current states when a signal matching the signal type is received.

46. (Previously Presented) The system of claim 44, wherein the signal matching the signal type is received by an executing instance of the provisioning model and the from states are a subset of the set of current states.

47. (Cancelled)

48. (Previously Presented) The system of claim 43, wherein the signal is generated by an external API of the system for provisioning communication services.

49. (Previously Presented) The system of claim 43, wherein the means for generating a signal further comprises:

means for generating a signal API call; and

means for delivering a signal at a predetermined time after a corresponding signal API call.

50. (Previously Presented) The system of claim 43, wherein the provisioning model comprises a plurality of executing instances each storing data specific to a respective one of the instances.

51. (Previously Presented) The system of claim 50, wherein the provisioning model further comprises stored data to be used by each of the instances.

52. (Previously Presented) The system of claim 44, wherein the at least one transition further comprises at least one task that is executed when a signal matching the signal type is received.

53. (Previously Presented) The system of claim 44, wherein the from states are a subset of the set of current states.

54. (Previously Presented) The system of claim 52, wherein the at least one transition further comprises transition arguments that are communicated to the at least one task.

55. (Previously Presented) The system of claim 50, wherein at least one of the executing instances further comprises calls to another model as a sub-instance.

56. (Previously Presented) The system of claim 55, wherein the sub-instance further comprises means for communicating with the at least one of the executing instances.

57. (Previously Presented) The system of claim 55, wherein transitions of the at least one instance are configured to stop executing while the sub-instance executes and to continue executing when the sub-instance is done executing.